

# AERATORS

PLUMBING REPAIR PARTS / SUPPLIES

**RP330**  
Aerator



15/16"-27 male thread  
For most kitchen & lavatory faucets  
2.0 GPM @ 60 psi (7.6L/min @ 414 kPa)

**800** Reg. male 15/16" - 27  
**810** Reg. female 55/64" - 27  
Aerator, PCA Cascade



Pressure compensating for constant flow (20-80psi)  
Single piece screenless construction inhibits  
lime build up  
Anti-clogging dome screen filters sediment & particles

**600N** Reg. male, 15/16" - 27  
Restricted flow 1.5gpm @ 60psi.



**900** Reg. male, 15/16" - 27  
Standard flow-restricted 2.2gpm @ 60psi.

**920** Reg. dual thread, 15/16" - 55/64"  
Standard flow-restricted 2.2gpm @ 60psi.

Aerator, Perlator

Non-slotted, anti-liming  
"honeycomb" replaces  
wire mesh screen, plus  
anti-clogging dome screen  
filters sediment & particles



**1004** Male threaded  
**110NEO** Female threaded  
Aerator, Spring Flo



Male threads= 15/16" - 27  
Female threads= 55/64" - 27

**FA1**  
Aerator, Spring Flo



Dual threaded  
(male & female)  
15/16" - 55/65"



3 screen slotted  
Ships in tubes of 6

**SU7B**  
Aerator, Swivel



No shut-off  
Reduced lead



Deluxe super spray  
Spray & stream aerator

# BASKET STRAINERS

**30051**  
Strainer, Basket



Stainless steel  
Rubber bottom

**30053**  
Strainer, Basket



Stainless steel  
Stick post

**647003**  
Strainer, "Big Boy"  
Basket



"Sta-Tite" lock nut  
Deep cut threads  
Heavy duty 304 stainless steel

**646443**  
Strainer, "EEZ-On"  
Basket



Fits all sinks  
No tools needed  
All 304 stainless steel  
Special triangular retainer with thumb screws

**644003**  
Strainer, "Kwik-Fit"  
Basket



Cup style strainer  
Fits 3-1/2" to 4" drain openings  
Deep drawn 304 stainless steel with rolled  
threads to specification tolerances

**656003**  
Strainer, "Pro-Brite"  
SPX Sink



Bright chrome finish  
Sta-tite locknut  
Stick post basket  
Water-tight leak-proof seal

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://www.facebook.com/pdqsupplyinc)

# BATHROOM HARDWARE

**38170** 24"  
Bar, Towel



**2218** 18"  
**2224** 24"  
Bar, Towel



Includes bar & (2) brackets  
Concealed mount  
Stainless steel 5/8" square polished bar


**1324** 24"  
Bar, Towel



Includes bar and (2) brackets Concealed mount  
Stainless steel 3/4" square polished bar

**15196**  
Bar, 24" Adjustable Towel

**15155**  
Bracket, 3/4" Concealed



Spring-loaded adjustable end caps  
Clear plastic bar, easily cuts to fit  
Bar & brackets sold separately

**15201**  
Dish, Soap



**15225** concealed mount (shown)  
**15235** exposed mount  
Holder, Toilet Tissue

**15131** white plastic  
Roller, Toilet Tissue



Holders are chrome and come with one white plastic roller


**38040**  
Holder, Toothbrush  
and Tumbler



**1305**  
Holder, Toothbrush  
and Tumbler



**688**  
Fan, Bathroom Exhaust


 listed for use over bathtubs  
and showers when connected to  
a GFCI protected branch circuit.



Step-opening regulator  
3" round duct, molded plastic impellers  
7-1/4" x 7-1/2" x 3-5/8" high housing  
Damper/Duct connector included



**97011723**  
Grille, Bathroom  
Exhaust



**97013576**  
Grille, Bathroom  
Exhaust



CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://facebook.com/pdqsupplyinc)

## RP330 Aerator



15/16"-27 male thread  
For most kitchen & lavatory faucets  
2.0 GPM @ 60 psi  
(7.6L/min @ 414 kPa)

## RP70 Ball, Stainless Steel



For use in single handle kitchen faucets.

## RP32104 Cartridge, Shower



## RP19804 Cartridge, Shower



## 100DST Faucet, Kitchen

Chrome finish  
8" centers  
3 hole installation



8" long spout swings 170°  
Diamond seal valve, 32" supply tubes  
2.2 gpm @ 60psi 8.3 L/min @ 414 kPa



## 400WF Faucet, Kitchen

Chrome finish  
6" or 8" centers  
4 hole installation



8" long spout swings 360°  
2.2 gpm @ 60psi 8.3 L/min @ 414 kPa



## 2102 Faucet, Kitchen

Chrome finish  
8" centers  
3 or 4 hole installation  
1/2" IPS shanks



9" long spout swings 360°  
2.2 gpm @ 60psi 7.6 L/min @ 414 kPa

## 520MPUDST Faucet, Lavatory

Chrome finish  
4" centers  
3 hole installation




32" supply lines  
5" long spout, Diamond seal valve  
1.5 gpm @ 60psi, 5.7 L/min @ 414 kPa




**Δ Designate proper finish suffix. AL= Almond, WH=White. NOTE: Chrome models have no finish suffix.**

### For 2-Handle Kitchen Faucet Models... 2100, 2102, 2400 & 2402 Series



### For Single Handle Kitchen Faucet Models... 100, 110 & 400 Series



**CURRENT PRICING CAN BE FOUND ON OUR WEBSITE**

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://www.facebook.com/pdqsupplyinc)

**520DST**  
Faucet, Lavatory


Chrome finish  
4" centers  
2 or 3 hole installation  
1/2" IPS shanks  
Has lift rod hole



4-1/2" long spout  
2.2 gpm @ 60psi 7.6 L/min @ 414 kPa



**RP2055**  
Kit, O-Ring



For use in  
two handle faucets.

**RP3614**  
Kit, Repair



Kit contains:  
(2) RP1806, (2) RP3427,  
(2) RP25, (1) RPB60,  
(1) RPB1165,  
(1) RPB251, (1) RP1974

**1345WSHDF**  
Valve, Pressure  
Balanced Mixing

Scald-Guard® temp.  
only controlled w/ handle.



Tub & Shower

Finish: Chrome  
Vandal resistant blade handle  
Has red/blue label on escutcheon  
2.5 gpm @ 80psi 9.5 L/min @  
552 kPa from showerhead



**RP4993**  
Kit, Seats & Springs



Includes (2) seats and (2) springs

**RP5651**  
Pop-Up



Complete metal  
pop-up drain  
assembly with  
metal lift rod

**RP1740**  
Stem, Faucet




For use in  
two handle  
kitchen faucets.



**For Single Handle Lavatory Faucet Models...  
500, 501, 520, 505, 525 Series**

- 1 **RP17443Δ** Handle w/ set screw
- 1a **RP152** Set screw
- 2 **RP1050Δ** Cap
- 3 **RP61** Cam w/ packing
- 4 **RP6146Δ** Lift rod
- 5 **RP70** Ball assembly
- 6 **RP4993** Seats & springs
- 7 **RP17444Δ** Undercover plate w/ screw
- 8 **RP330Δ** Aerator
- 9 **RP17445** Base
- 10 **RP6092** Nuts & washers
- 11 **RP6183** Locknuts
- 12 **RP5861** Coupling nuts

Δ Designate proper finish suffix: AL= almond, WH= white.  
NOTE: Chrome models have no finish suffix  
• For faucets purchased prior to 2007, please order  
RP1050 cap & RP61 cam & packing



**For Single Handle Monitor  
Bath Valve Models...  
1300 & 1400 Series &  
Pressure Balanced Models**



CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc

# DRAIN/SINK REPAIR

PLUMBING REPAIR PARTS / SUPPLIES

**T100** 1 lb. (24 per case)  
**T200** 2 lbs. (12 per case)  
 Cleaner, Drain



This Non-Acid Formula uses hot water to activate the dry, odorless crystals and within 60 seconds, even the most difficult drain blockage is cleared. Small drains, grease traps and septic systems are no match for Thrift's powerful formula.



**SOLD IN CASE QUANTITIES ONLY.**

*Additional shipping charges do apply!*

**The 60-second solution.**

**For use on...**  
 Small Drains, Grease Traps  
 Septic Systems, Root Control

**Will not harm...**  
 Fine Fixtures, Chrome Trim  
 Plastic or Metal Pipes

**CAUTION!!** Hand & eye protection should be worn when handling Thrift.

**RP5651**  
 Pop-Up



Complete metal pop-up drain assembly with metal lift rod

**10901**  
 Pop-Up  
 Chrome-plated



Complete assembly brass pop-up waste

**73819**  
 Remover, Drain Clog



The Drain Stick quickly removes hair & goop between drain & end of trap  
 Tough nylon construction is reusable and easy to clean

**30171** With hose  
**30173** Head only  
 Sprayer



**418A** 1" to 1-3/8"  
**419A** 1-1/2" to 2"  
 Stopper, Multifit Rubber



**30105** 5"  
 Stopper, Rubber



**411A** 1-1/8"  
**412A** 1-1/4"  
**414A** 1-1/2"  
 Stopper, Solid Rubber



**CURRENT PRICING CAN BE FOUND ON OUR WEBSITE**

*All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.*

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://facebook.com/pdqsupplyinc)

**800** Reg. Male 15/16" - 27  
**810** Reg. Female 55/64" - 27  
**Aerator, PCA Cascade**



Pressure compensating for constant flow (20-80psi)  
 Single piece screenless construction inhibits lime build up and anti-clogging dome screen filters sediment and particles

**1222**  
**1222B**  
**Cartridge, Faucet**



Used for single handle faucets and shower valves

**1225**  
**1225B**  
**Cartridge, Faucet**



Used for single-handle faucets

**1255MOEN**  
**Cartridge, Duralast Faucet**



Used on newer style #7425 single-handle faucets

**7425**  
**Faucet, Kitchen**

Chrome finish, solid lever handle  
 3/8" IPS connections  
 4" supplies  
 3-hole application



**RP63263**  
**Kit, Adapter**

When attaching to a 1/2" valve stop, you'll need an adapter kit.

**Chateau**

**4601**  
**Faucet, Lavatory**

Chrome finish  
 Clear knob handle  
 1/2" IPS connections  
 4" centers



Less waste  
 Removable plug button in lift rod hole

**Chateau**

**L4601**  
**Faucet, Lavatory**

Chrome finish  
 Lever handle  
 1/2" IPS connections  
 4" centers



Removable plug button in lift rod hole

**Chateau**


**93980**  
**Kit, Handle Mechanism**



Used for single handle faucets

**96791** A standard  
**96797** B standard  
**94514** C Posi-Temp  
**Kit, Knob**

Back of knobs



Kits include (1 each) knob, screw, washer & insert (insert is not included with #94514).

**117**  
**Kit, O-Ring**



Includes grease packet

**12314**  
**Plug, Pop-up**  
 5" long x 1-1/4" dia.  
 Plastic - 50/50



**104421**  
**Tool, Cartridge Removal**



Used on cartridges #1200, #1225, #1222

**2353MOEN**  
**Valve, Tub/Shower**


Chrome finish  
 1/2" CC connections

Diverter spout  
 Posi-temp pressure balancing tub/shower  
 4 port cycling valve, no volume control, adjustable temp. limit stop  
 Easy Clean shower head, arm & flange



**Chateau**  
**Posi-Temp**

**10790**  
**Waste, Metallic**  
 Chrome



Solid metal stopper

MORE


CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc


## Legend® Single-Handle Kitchen Faucet

MODEL	HANDLE TYPE	FINISH
7300	Lever	Chrome



## Cap & Temp. Indicator Kit

100021 Chrome  
100021S Sand  
100021W Glacier




## Chateau® Single-Handle Kitchen Faucet

MODEL	HANDLE TYPE	FINISH
7425	Lever	Chrome
7425S	Lever	Sand
7425W	Lever	Glacier
67425 (bulk)	Lever	Chrome

## Chateau® Single-Handle Lavatory Faucet


MODEL	HANDLE TYPE	FINISH
L4601	Lever	Chrome
L4621*	Lever	Chrome

\* (50/50 waste included)




## Chateau® Single-Handle Lavatory Faucet

MODEL	HANDLE TYPE	FINISH
4601	Knob	Chrome



## Chateau® Posi-Temp® Single-Handle Tub/Shower Valve

MODEL	HANDLE TYPE	FINISH
2353	Knob	Chrome



CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://www.facebook.com/pdqsupplyinc)

# PLUMBING SUPPLIES/TOOLS

PLUMBING REPAIR PARTS / SUPPLIES

**820003**  
Cover, Faucet Hole  
*Screw-in type*



Sizes to fit all standard sink fourth hole openings

**C107**  
Cup, 6" Force  
*21" handle*



Free flow

**1040**  
Putty, Plumbers  
*14 oz.*



Will not harden, crack or crumble  
Not for use on marble

**2090** *1/2" x 260"*  
**2095** *1/2" x 520"*  
Tape, Teflon



Low density .0035 ± .0005  
Withstands -450° to 500°F

**73845**  
Wrench, Sink Drain



Universal design  
Installs & repairs kitchen & bath P-trap DWV nuts, kitchen sink basket strainer nuts & plastic DWV nuts with wing tabs

**RP1974**  
Wrench, 1/8" Allen



**73890**  
Wrench, Basket Strainer



Securely holds basket strainer in body position  
Prevents turning during installation

# SHOWER & TUB REPAIR

**1186**  
Arm, Shower  
*8" length*  
*Chrome plated brass*



1/2" MPT x 1/2" MPT

**4900**  
Breaker, Vacuum  
*Chrome*



1/2" connections  
w/ brass shield

**38305CP**  
Closure, Push Pull Tub



Actual thread size 1.865" O.D.-11-1/2  
Trade designation 1-1/2" - 11-1/2  
Strainer body depth 1-1/4"  
Coarse thread



**4002** *White*  
**4002C** *Chrome*  
Connector, Swivel




Has plastic pin

**25703**  
Flange  
*Chrome*



Shower arm flange

**462** *no pause button*  
**462PB** *pause button (shown)*  
Head, Shower  
*White*



**15001**  
Head, Shower



2.0 gpm  
ABS construction  
Plastic ball joint  
White face

**15013**  
Head, Shower  
*Solid Brass*



2.0 gpm  
1/2" inlet  
1-3/4" flare  
Deluxe model

**652**  
Head, Shower  
*Chrome*  
*Solid brass*



Incredible Head® Power Shower  
with on/off button

MORE

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.


PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://facebook.com/pdqsupplyinc)



# SHOWER & TUB REPAIR

PLUMBING REPAIR PARTS / SUPPLIES

**49060** 60"  
**49070** 70"  
Hose, Ultraflex® Shower



UltraFlex® black hose w/ chrome ribbon  
1 conical & 1 hex all brass nuts

**49560** 60"  
**49569** 69"  
Hose, Heavy Duty Shower



Bright stainless Steel  
Heavy Duty hose  
1 conical & 1 hex all brass nuts

**35246**  
Plate, Overflow  
Chrome



One hole  
Bolts not included

**1160**  
Plate, Overflow  
Chrome



Covers 3-1/4" hole  
2" bolt hole centers  
Includes bolts

**1150**  
Plate, Overflow  
with Trip Lever  
Chrome



Square handle  
Covers 3-1/4" hole  
2" bolt hole centers  
Bolts not included

**1157**  
Plate, Overflow  
with Trip Lever  
Chrome



Lever handle  
Covers 3-1/4" hole  
Includes bolts

**15083**  
Spout, Diverter Tub  
Chrome-plated  
Die-cast



Diverter on nose  
1/2" IPS inlet

**15077**  
Spout, Tub  
Chrome-plated  
Die-cast  
Fits 1/2" pipe threads



**15089**  
Spout, Diverter Tub  
Chrome-plated  
Die-cast



Diverter on nose  
Slide on spouts with set screw  
For use with 1/2" copper pipe

**15085**  
Spout, Diverter Tub  
Chrome-plated  
Die-cast



Diverter on body  
3/4" IPS inlet  
3/4" to 1/2" IPS reducing bushing


**RP5834**  
Spout, Diverter Tub



1/2" CWT or 1/2" IPS  
5" long



**RP17453**  
Spout, Pull-Down Diverter Tub



1/2" CWT or 1/2" IPS  
5-1/4" long




**35249**  
Stopper, "Flip-It"  
Chrome-plated



For bath drain stoppers  
Fits most strainer bodies  
Includes 10 "O" rings to fit all brands

**48200CP**  
Stopper, Nufit™ Body  
w/ Presflo  
Chrome-plated



Includes epoxy adhesive & suction cup.

1. Closed position
2. Press any edge to open.
3. Stopper disk, w/ Buna-N Seal, in open position.
4. Press top edge toward side to close.

If tamper proof stopper needs to be removed attach the suction cup & pull straight up.




CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://www.facebook.com/pdqsupplyinc)

**12225** Brass plated, 1/4" x 2-1/4"  
**12240** Brass plated, 5/16" x 2-1/4"  
**12165** Brass, 1/4" x 2-1/4"  
**12180** Brass, 5/16" x 2-1/4"  
**12185** Brass, 5/16" x 3-1/2"  
**Bolts,  
 Bowl to Floor**




Each contains (2) bolts, (2) nuts, (2) washers

**40041**  
**Bolts, Tank to Bowl**  
 Solid brass




Each set contains...  
 brass bolts, washers, wing nuts,  
 cloth inserted rubber washers

**HH43**  
**Bolts, Twist/  
 Lift-Off Hinge**



Used on "EC" style seats

**40010**  
**Flange, Closet Repair**  
 1/4" thickness  
 Zinc-plated




5-3/4"

**54BP**  
**Flapper, Korky®**  
 Black




The original flapper tank ball  
 Molded of durable rubber  
 Readily fits most flush valves

**2001BP**  
**Flapper, Korky® Pro**  
 Red



Combines design of the  
 Korky with a specially formulated compound  
 Withstands chemicals & cleaning products

**501**  
**Flapper, Toilet**



Fits most toilet tanks  
 Stops leaks at the  
 tank drain  
 Thermoplastic flapper  
 will not rot in harsh water  
 Hinged to rigid frame for better alignment

**52**  
**Flapper, Vinyl**  
 Blue



Made of high quality resin  
 Stainless steel chain & hook  
 For plastic flush valves

**M101526F**  
**Flushmate**  
**Tank, Flushometer Series 501-B**



Other whole tanks are available by special order only  
 Please specify your brand of toilet when ordering

**C100500**  
**Flushmate**  
**Cartridge**



**BL1005043**  
**Flushmate**  
**Supply, Lower**



For series 503 only

**RK100100**  
**Flushmate**  
**Supply, Retro-Fit**



For all series except 503

**BU100505**  
**Flushmate**  
**Supply, Upper**



**ST100100**  
**Flushmate**  
**Wrench, 2-in-1**



# TOILET REPAIR

PLUMBING REPAIR PARTS / SUPPLIES

**36251**  
Gasket, Universal  
3-3/8" dia. x 3/4" thickness



Universal sponge rubber tank to bowl gasket

**681** **Fluidmaster.**  
Lever, Tank



Trims & bends to fit all front & side mount tanks  
Self-tightening lock-nut won't loosen over time

**40119**  
Lever, Tank  
11-3/8"



Plastic arm & handle  
Chrome finished handle

**40062**  
Lever, Universal Fit Tank  
Chrome plated



Single action  
All metal, brass arm

**21013**  
Ring, Quick



Made in the USA.  
Replaces any closet ring  
Slotted for 1/4" or 5/16" closet bolts  
Unique screw tabs allow Quick Ring to be attached to wood or concrete floors

**4000**  
Ring, Swan Wax



**4005** regular  
**4009** jumbo  
Ring, Flange/Gasket  
For 3" & 4" waste lines




Jumbo has 40% more wax  
Plastic flange helps with seating closet bowls

**500EC**  
Seat, Toilet



Wood




**Easy Clean™**  
Twist/Lift-off hinge  
With cover  
Molded wood seat  
Regular closed front

**1500EC**  
Seat, Toilet



Wood




**Easy Clean™**  
Twist/Lift-off hinge  
With cover  
Molded wood seat  
Elongated closed front

**400TT**  
Seat, Toilet



Wood




**Economy**  
Packed 6 per box  
Must order in lots of 6  
Top-Loc hinge  
With cover  
Molded wood seat  
Regular closed front

**1400**  
Seat, Toilet



Wood




**Economy**  
Packed 6 per box  
Must order in lots of 6  
With cover  
Molded wood seat  
Elongated closed front

**70**  
Seat, Toilet



Plastic




Top-Loc hinge  
With cover  
Solid plastic  
Regular closed front

**170**  
Seat, Toilet



Plastic



Top-Loc hinge  
With cover  
Solid plastic  
Elongated closed front

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the manufacturer of the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://www.facebook.com/pdqsupplyinc)

## TOILET SEAT CROSS REFERENCE

BEMIS	CHURCH	BENEKE	OLSONITE	CENTACO	SPERZEL
<b>Wood Seats</b>					
400TT	400TT	XM20TM	x	x	x
500EC	540SF	2100TM	100	x	x
1400	1400CH	EM20TM	x	x	x
1500EC	585SF	3100TM	104	x	x
<b>Plastic Seats</b>					
70	70	400TM	90/60	1200/100	400R
170	170	500TM	94	x	400E

**400A**  
Valve, Toilet Fill

**Fluidmaster.**

Fits most toilet tanks  
Stops leaks & squeaks  
Adjustable from 9" to 14"  
Anti-siphon operation  
Code approved, corrosion resistant



**242**  
Seal, Replacement



Replaces inner seal on #400A

**Fluidmaster.**

# VALVES

**131** 1/2" lever handle  
**132** 3/4" lever handle  
Valve, Brass  
Gas Cock



Ball type, 2 piece



**5103** 3/4"  
Valve, Full Port  
Brass Ball



For copper x copper  
Working pressure:  
150 psi steam, 600 psi WOG



**5003** 3/4"  
Valve, Full Port  
Brass Ball



For iron pipe sizing  
Working pressure:  
150 psi steam, 600 psi WOG



**48620** 1/2" w/ stuffing box  
**48621** 3/4" w/ stuffing box  
Valve, Rough  
Brass Boiler



1/2" male IPS or 1/2" copper

**BV890003**  
Stop, Angled Supply  
3/8" OD comp. x 1/2" IPS



1/4 turn valve  
Ball type valve, will not freeze open

**BV894003**  
Stop, Angled Supply  
3/8" OD comp. x 5/8" OD comp.




1/4 turn valve  
Ball type valve, will not freeze open


**889003**  
Stop, Angled Supply  
3/8" OD comp. x 3/8" IPS



**890003**  
Stop, Angled Supply  
3/8" OD comp. x 1/2" IPS



**894003**  
Stop, Angled Supply  
3/8" OD comp. x 5/8" comp.



**BV894013**  
Stop, Straight Supply  
3/8" OD comp. x  
5/8" OD comp.



**612** 1/8"  
**613** 3/16"  
**614** 1/4"  
**615** 5/16"  
**616** 3/8"  
**617** 7/16"



Fittings, Standard  
Nut Compression

**602** 1/8"  
**603** 3/16"  
**604** 1/4"  
**605** 5/16"  
**606** 3/8"  
**607** 7/16"



Fittings, Standard  
Sleeve Compression

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://facebook.com/pdqsupplyinc)

# WATER CONNECTORS

PLUMBING REPAIR PARTS / SUPPLIES

- B1F12** 12" — 3/8" fem. comp. thread x 1/2" ip fem. straight thread
- B1F16** 16" — 3/8" fem. comp. thread x 1/2" ip fem. straight thread
- B1F20** 20" — 3/8" fem. comp. thread x 1/2" ip fem. straight thread
- B3F12** 12" — 1/2" fem. comp. thread x 1/2" ip fem. straight thread
- B3F20** 20" — 1/2" fem. comp. thread x 1/2" ip fem. straight thread
- B4F12U** 12" — Fits All: FAUCET CONNECTION: 1/2" ip fem. straight thread x SHUT-OFF: 3/8" fem. comp. thread, 1/2" fem. comp. thread, 1/2" ip fem. straight thread
- B4F16U** 16" — Fits All: FAUCET CONNECTION: 1/2" ip fem. straight thread x SHUT-OFF: 3/8" fem. comp. thread, 1/2" fem. comp. thread, 1/2" ip fem. straight thread

Connectors, Faucet

No-Burst® braided stainless steel.



Fluidmaster.

- B1T09** 9" — 3/8" fem. comp. thread x 1/2" ip fem. straight thread
- B1T12** 12" — 3/8" fem. comp. thread x 1/2" ip fem. straight thread
- B1T16** 16" — 3/8" fem. comp. thread x 1/2" ip fem. straight thread
- B1T20** 20" — 3/8" fem. comp. thread x 1/2" ip fem. straight thread
- B3T12** 12" — 1/2" fem. comp. thread x 1/2" ip fem. straight thread
- B4T09U** 9" — Fits All: TOILET CONNECTION: 1/2" ip fem. straight thread x SHUT-OFF: 3/8" fem. comp. thread, 1/2" fem. comp. thread, 1/2" ip fem. straight thread
- B4T12U** 12" — Fits All: TOILET CONNECTION: 1/2" ip fem. straight thread x SHUT-OFF: 3/8" fem. comp. thread, 1/2" fem. comp. thread, 1/2" ip fem. straight thread
- B4T20U** 20" — Fits All: TOILET CONNECTION: 1/2" ip fem. straight thread x SHUT-OFF: 3/8" fem. comp. thread, 1/2" fem. comp. thread, 1/2" ip fem. straight thread

Connectors, Toilet

No-Burst® braided stainless steel.



Fluidmaster.

**B9WM60** 60"  
Connector, Washing Machine  
3/4" x 3/4" hose fitting

No-Burst® braided stainless steel.

Fluidmaster.

**B1H24** 24"  
Connector, Water Heater  
3/4" fem. iron pipe x 3/4" fem. iron pipe

No-Burst® braided stainless steel.

Fluidmaster.

# WOODFORD



**14CP8** 8"  
**14CP10** 10"  
**14CP12** 12"  
Faucet, Freezeless Wall

**14CP:** Combo - 1/2" male pipe thread, 1/2" female sweat

**RK14**  
Kit, Repair  
Model 14/18

**RK14/17H**  
Handle & Screw Only

Kit Contains... Handle screw, wheel handle, packing, packing nut, packing support washer, valve seat rubber, retainer screw

**RKLTK**  
Key, Long Tee

50010  
5/16" square stem x 3-1/4" long

**17CP8** 8"  
**17CP10** 10"  
**17CP12** 12"  
Faucet, Freezeless Wall

Anti-siphon feature.

**17CP:** Combo - 1/2" male pipe thread, 1/2" female sweat

**RK17**  
Kit, Repair  
Model 17

**RK14/17H**  
Handle & Screw Only

Kit Contains... Handle screw, handle, VB float kit, packing, packing nut, packing washer, check valve, valve seat rubber, retainer screw, bevel check valve

**RKSTK**  
Key, Short Tee

50009  
5/16" square stem x 1-3/4" long

**25CP10** 10"  
**25CP12** 12"  
Faucet, Freezeless Wall

**25CP:** Combo - 1/2" male pipe thread, 1/2" female sweat  
With automatic draining  
Anti-siphon vacuum breaker ASSE 1019-B

**RK25**  
Kit, Repair  
Model 20/25/27

Kit Contains... Handle screw, wheel handle, drain guard, head nut, head nut gasket, stem screw, drain valve assembly, plunger assembly

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc

# BATTERIES

**AL-9V**  
Batteries, 9 Volt



Sold in Packs of 6 ONLY  
Priced per battery  
Industrial alkaline

**AL-AA** Size AA  
**AL-AAA** Size AAA  
Batteries



Sold in Packs of 8 ONLY  
Priced per battery  
Industrial alkaline

**AL-C** Size C  
**AL-D** Size D  
Batteries



Sold in Packs of 6 ONLY  
Priced per battery  
Industrial alkaline

ELECTRICAL REPAIR PARTS / SUPPLIES

# BALLAST


**KTP2X40T12UNVRSSC**  
Ballast, Electronic  
Non-Magnetic - 2 lamp, F40T12, 120Volt



OSRAM  
SYLVANIA

Fluorescents, Compact  
With GX23 Bases

Part #	Color Temp.	Lumens	Avg. Hrs.	Case Qty.
CF13DS827	2700K	800	10,000	50
CF13DS835	3500K	800	10,000	50
CF13DS841	4100K	800	10,000	50



OSRAM  
SYLVANIA

BASE

Lamps, Incandescent

Part #	Desc.	W	V	Avg. Hrs.	Case Qty.
60A	Inside frost	52	130	2500	48
60A4RP	Inside frost	60	120	1000	48
60ACL	Clear	60	120	1000	120




OSRAM  
SYLVANIA

**948200BP**  
Bulb, Energy Saving  
LED Exit Sign



Red, 120 / 227 dual voltage  
Only for use with 6" single or double-faced  
stencil-faced fixtures w/ black or white interiors  
For intermediate, candelabra, or bayonet bases



BASED ON 100 FIXTURES -	Incand.	Fluor.	LED
Existing Watts:	40	17	2.4
Hours. per Day:	24	24	24
Cost per KWH:	\$ .10	\$ .10	\$ .10
<b>ANNUAL ENERGY COST:</b>	<b>\$3504.00</b>	<b>\$1489.00</b>	<b>\$210.00</b>
Hourly Rate:	\$25.00	\$25.00	\$25.00
Replacement Time:	30 min.	30 min.	30 min.
Yearly Replacements:	2.9	0.9	0
<b>ANNUAL LABOR COST:</b>	<b>\$3625.00</b>	<b>\$1125.00</b>	<b>\$0.00</b>
# of Lamps:	2@\$3.25ea	2@\$4.86ea	0
# Times Replaced:	2.9	0.9	0
<b>ANNUAL LAMP COST:</b>	<b>\$1885.00</b>	<b>\$875.00</b>	<b>\$0.00</b>
<b>Total Annual Cost:</b>	<b>\$9014.00</b>	<b>\$3488.00</b>	<b>\$210.00</b>
<b>SAVINGS:</b>	<b>\$8804.00</b>	<b>\$3278.00</b>	

# FLASHLIGHTS

**BDCLIPB**  
Flashlight, LED




High powered pocket LED flashlight.  
5-3/4" flashlight length.  
Resistant to water, corrosion, heat and impact.  
Lasts up to 9 hours of continuous use.  
Includes (2) AA batteries, 3 colored lenses,  
lens & flashlight holster and belt clip.



Push button  
thumb switch

**IN2KML**  
Flashlight, Industrial



Uses (2) D-cell batteries (not included)  
Replacement bulbs:  
regular: #PR22BULB krypton: #K22

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc

# LIGHTING FIXTURES

ELECTRICAL REPAIR PARTS / SUPPLIES

**BULBS ARE  
NOT INCLUDED  
WITH ANY FIXTURES.**

**P311130**  
Fixture, Bath & Vanity  
13"W x 4-1/4"H  
No outlet



(2) 75W max. med. base bulb  
Finish: White • Glass: White

**SL8436-8** *white*  
Fixture, Ceiling  
6"W x 7-1/2"H



(1) 60 watt max. bulb  
Glass: White globe

**SL123**  
Fixture, Ceiling  
12" square



(2) 60 watt max. (each) bulbs  
Finish: White • Glass: White

**P334830**  
8-1/2"W x 5-1/4"H, (2) 60W max. (ea) bulbs

**P335030**  
10-1/2"W x 5-1/4"H, (2) 75W max. (ea) bulbs

Fixture,  
Close-To-Ceiling



Finish: White  
Glass: Clear & White

**P460930**  
Fixture, Close-to-Ceiling  
Round  
12"W x 5-1/2"H



(2) 60W max. (ea) med. base bulbs  
Finish: White • Glass: White

**P496130**  
Fixture, Close-to-Ceiling  
Square  
12"W x 5-1/2"H



(2) 60W max. (ea) med. base bulbs  
Finish: White • Glass: White

**BKEM-2A**  
Light, Emergency



120 / 227 dual voltage  
Wall or ceiling mount  
Provides 90 minutes of light  
8.875"W x 4.875"H x 2.875"D  
High impact plastic housing & lampheads



**P574431**  
Fixture, Outdoor  
8-1/4"W x 4-3/4"H



(1) 60W max. med. base bulb  
Finish: Black • Diffuser: White acrylic

**8800-05**  
Fixture, Porch  
4-1/2"W x 7"H  
Jelly Jar



(1) 100W max. bulb  
Finish: Black • Glass: Clear

**H69FC751120** *Kenall*  
Fixture, Safety  
5"W x 9"H x 4.1"D



Wall mounted  
High abuse luminary  
Clear prismatic lens  
(1) 75 watt incandescent bulb

**3636** *regular mounting* *Kenall*  
**3663** *extra security mounting*  
Fixture, Safety  
6"W x 8"H x 4.5"D



120Volt  
Wall mounted  
High abuse luminary  
Pearlescent lens  
(1) 75 watt incandescent bulb

**SL281**  
no outlet  
**SL282**  
has grounded outlet



(2) 75 watt max. (ea) bulbs  
13"W x 5-1/2"H x 5-1/2"D  
Glass: White bent glass

**9500KEN** *Kenall*  
Screwdriver, Posigrip™



Used with all **Kenall** fixtures  
Removes lenses to access inner parts

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

**660IGU** *ivory*  
Switch, Single Pole  
15 amp  
120 vac



\*Sold in packs of 10  
Priced per pack

**663IGU** *ivory*  
Switch, 3-Way  
15 amp  
120 vac



**696I** *ivory*  
Device, Combination  
15 amp  
120/277 vac



(1) single pole toggle switch &  
(1) 3 pole toggle switch

**690IG** *ivory*  
Device, Combination  
15 amp  
120/277 vac



(2) single pole toggle switches

**691IG** *ivory*  
Device, Combination  
15 amp  
120 vac



(1) single pole toggle switch &  
(1) receptacle

**3232IU** *ivory*  
Receptacle, Duplex  
15 amp  
120 vac



\*Sold in packs of 10  
Priced per pack

**CR20IU** *ivory*  
Receptacle, Duplex  
20 amp  
120 vac



**COMMERCIAL  
GRADE**

Sold individually

**1594ICP** *ivory*  
Receptacle, GFCI  
15 amp  
120 vac



Wall plate included

**2095ICC10** *ivory*  
Receptacle, GFCI  
20 amp  
120 vac



**COMMERCIAL  
GRADE**

Wall plate included

**388** *surface mount*  
**3860** *flush mount*  
Receptacle,  
Dryer



30 amp • 120/240 Volt  
3 pole • 3 wire  
3860 uses plate #SS724

**385** *surface mount*  
**3890** *flush mount*  
Receptacle,  
Range




50 amp • 120/240 Volt  
3 pole • 3 wire  
3890 uses plate #SS724

These switches, receptacles  
and wall plates are available  
in white. Ask your PDQ  
representative for details.



**TP1ICP** (a) 1 gang switch  
**TP2IU** (b) 2 gang switch  
**TP8ICP** (c) 1 gang outlet  
**TP26ICP** (d) GFCI  
**CATVI** (e) cable jack  
**TE1I** (f) phone jack  
**WMTE14I** (g) kitchen phone jack  
Plates, Wall (ivory)

Wall plates are Thermo-plastic and Unbreakable.





# SMOKE ALARMS

ELECTRICAL REPAIR PARTS / SUPPLIES

## CO400B

Alarm, Carbon Monoxide

**DC POWERED**

**BRK**  
ELECTRONICS



Powered by (2) AA batteries (included)  
Mount to walls or ceiling  
Has test/silence button & 85dB alarm horn  
3 status indicators: alarm, silence, alarm

## CO5120BN

Alarm, Carbon Monoxide

**120V (AC/DC)**

with battery back-up

**BRK**  
ELECTRONICS



120VAC w/ 9V battery backup (included)  
Silencer, test button & quick disconnect  
Has a new latching alarm, tamper-proof locking feature & Smart Interconnect that connects to other BRK smoke & CO alarms

## FCD2BN

Alarm, Carbon Monoxide

**120V (PLUG IN)**

**BRK**  
ELECTRONICS



Replaces #CO2120PN  
120VAC plug-in  
Has a silence/test button  
85dB alarm horn  
5 year manufacturer limited warranty

## C8600A1000

Alarm, Carbon Monoxide

**DC POWERED**

**Honeywell**



9V battery powered (included)  
Microprocessor intelligence  
continuously self-tests every 10 min.  
Single-station alarm  
Solid-state infrared integrated sensor

## SC05B

Alarm, Combo Smoke & CO

**DC POWERED**

**BRK**  
ELECTRONICS



Powered by (2) AA batteries (included)  
Has test/silence button  
Eco-friendly- completely recyclable as an electronic device.  
Has a photoelectric sensor for smoke and an electrochemical sensor for CO.

## SC9120B

Alarm, Combo Smoke & CO

**120V (AC/DC)**

with battery back-up

**BRK**  
ELECTRONICS



120VAC w/ 9V battery backup (included)  
Has two silence features  
Intelligent sensing technology  
Most accurate carbon monoxide sensor

## 9000114E

Alarm, Combo Smoke & CO

**120V (AC/DC)**

with battery back-up

**Kidde**

**KIDDE EXCLUSIVE!**  
**VOICE ALARM**



Voices FIRE or CARBON MONOXIDE  
120VAC w/ 9V battery backup  
Interconnectable with Kidde models:  
smoke: 1235E, 1275E, 1275EH, 1285E, PE120E, PI2000 heat: HD135F  
Complies with these authorities: UL, FHA, HUD, NFPA 720

## FG250B

Alarm, Smoke

Replaces #83R

**DC POWERED**

**BRK**  
ELECTRONICS



Powered by 9V battery (included)  
Tamper resistant locking pin  
Has silence button

## 7010B

Alarm, Photoelectric Smoke

Replaces #2002RAC

**120V (AC/DC)**

with battery back-up

**BRK**  
ELECTRONICS



9V battery backup (included)  
Photoelectric detectors are best for  
responding quickly to slow smoldering fires  
Has new OptiPath 360 sensing technology  
Interconnectable up to 18 other BRK units

## 7010BRK

Alarm, Photoelectric Smoke

**120V (AC)**

**BRK**  
ELECTRONICS



Photoelectric detectors are best for  
responding quickly to slow smoldering fires  
Has new OptiPath 360 sensing technology  
Interconnectable up to 18 other BRK units

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

# SMOKE ALARMS

**9120**  
Alarm, Photoelectric Smoke

**120V (AC/DC)**  
with battery back-up

**GENTEX**

9V battery backup (included)  
90-decibel solid state piezo horn  
Discovers smoke with photoelectric sensing  
Patented 3 position test switch  
Interconnect 12 units




**710CSC** 120VAC  
**7109CSC** 120VAC with 9V battery backup  
Alarm, Photoelectric Smoke

**120V (AC)**  
**STROBE LIGHT**

**GENTEX**

90-decibel audible signal  
177 candela rated strobe light  
Discovers smoke with photoelectric sensing  
Tandem connect up to 6 detectors per system

**CEILING MOUNT**



**9120B**  
Alarm, Smoke

**120V (AC/DC)**  
with battery back-up

Replaces #86RAC, #4120B, #4120SB

**BRK ELECTRONICS**

9V battery backup (included)  
Dual chamber ionization sensor  
Smart sense system, single button test/silence, perfect mount system  
Interconnect up to 18 other BRK units




**99120**  
Alarm, Smoke

**120V (AC)**

Replaces #4120, #4919

**BRK ELECTRONICS**

Dual chamber ionization sensor  
New locking feature deters theft  
Has quick connect plug  
Interconnectable with up to 18 other BRK units




**04618**  
Alarm, Smoke

**120V (AC/DC)**  
with battery back-up

**FIREX SMOKE ALARMS**

9V battery back-up (included)  
Ionization type detector  
Large test/hush button  
Has PowerLink™ tabs for faster installation




**0915E**  
Alarm, Smoke

**DC POWERED**

(model: i9050)

**Kidde**

Powered by 9V battery (included)  
Ionization type detector  
Twist off mounting bracket  
Complies with the following authorities: UL, FHA, HUD, NFPA & CSFM



**i12020**  
Alarm, Smoke

**120V (AC)**

(model: 21006374)  
Replaces #1235E, #0428

**Kidde**

Dual chamber ionization sensor  
120 VAC single or multiple station  
Interconnect 24 alarms with quick connector  
Complies with the following authorities:  
UL, FHA, HUD, NFPA & California State Fire Marshal



**i12060**  
Alarm, Smoke

**120V (AC/DC)**  
with battery back-up

(model: 21006376)  
Replaces #1275EH, #1276E

**Kidde**

Front loading battery  
9V battery backup (included)  
Has hush, test/reset buttons, indicator lights and quick disconnect.  
Complies with the following authorities: UL, FHA, HUD, NFPA & CSFM




**i12040**  
Alarm, Smoke

**120V (AC/DC)**  
with battery back-up

(model: 21006378)  
Replaces #1275E

**Kidde**


Rear loading battery  
9V battery backup (included)  
Has Smart Hush™  
Dual chamber ionization sensor  
Interconnectable  
Complies with the following authorities: UL, FHA, HUD, NFPA



**25S**  
Tester, Smoke Alarm

**SMOKE DETECTOR TESTER**  
A CONDENSED FUNCTIONAL TEST

A convenient true functional test  
When activated, alarm should sound for 10-15 sec.



CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc

# TEST EQUIPMENT

ELECTRICAL REPAIR PARTS / SUPPLIES

## CD100A Detector, Leak



Accurately detects combustible gas leaks  
<50ppm methane sensitivity  
Easy one hand operation  
18 gooseneck for tight spots  
Audio & visual tic rate, fully adjustable

## GMT312 Multimeter, Analog



12 range / 5 function multimeter  
Tests AC/DC to 500 volts  
Tests DC current to 250mA  
Tests resistance to 1 megohm  
Includes 2 safety leads & 1 AA battery

## GVD3504 Tester, Non-Contact Voltage



50-600 VAC  
Test outlets, switches, cords, panels, fixtures

## TT6200L Tester, Telephone Line



Tests single and dual telephone lines. Tri-color LEDs indicate line status.


## PDT550 Thermometer, Pen Type Digital



F: -58° to 572° C: -50° to 300°  
Auto power off  
Includes battery  
Temp settings: MIN/MAX & HOLD



## CS61200 Locator, Circuit Breaker



Replaces GET1200  
Runs on 9V battery (included)  
Finds correct circuit breaker that controls switches, light fixtures and outlets  
Automatic operation, no dials to turn  
Magnetic attachment for easy operation



## DM383B Multimeter, Digital



Diode check  
CATIII rated at 600 VAC/DC, 10 amps AC/DC  
4000 count display, 40 M ohms  
**Basic Accuracy:** DC volts ± (0.5% + 1 digital)  
**Measures up to:** 750VAC / 1000VDC (CATII)  
**Frequency Response:** 50 to 500 Hz  
**DC Resolution:** Standard 9V  
**Data Hold:** All ranges **Battery:** Standard 9V

## GFI3501 Tester, Receptacle



Tests standard and GFCI,  
3-prong outlets for proper wiring.

## INF155 Thermometer, Infrared



Replaces #INF151  
60-second auto hold  
Precise laser targeting  
Auto power off, low battery indicator, and backlit display  
F: -58° to 750° C: -50° to 400°  
One button switching for °F & °C  
Distance to spot ratio of 10 to 1



## T160K Thermometer, Pocket Dial 2° per div. (-40 to +160°F)



1" dia. (dial) x 5" long  
Has recalibration nut  
Stainless steel construction  
Includes a pocket clip sheath



CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: [www.pdqsupplyinc.com](http://www.pdqsupplyinc.com) • FB: [facebook.com/pdqsupplyinc](https://www.facebook.com/pdqsupplyinc)

# ***NOTES***

A large, empty rectangular box with a black border, intended for handwritten notes.